

COMPACT HOT STAMPING MACHINE FOR DIRECT MARKING ON CABLES, TUBES, PVC COMPONENTS



>> Can be combined with existing cutting or crimping equipment<<



PIK-AS Austria GmbH – Elektrotechnische Fabrikate
Mariasdorf 140a | AT-7433 Mariasdorf
Tel.: +43 3353 7613 | Fax: +43 3353 7612
office@pikas.at | www.pikas.at

Marked samples with B200 series

Devices of series B200 allow easy and permanent marking of cables, tubes, PVC components.



PVC-wires



Flat PVC-/plastic components



Cable ties (Nylon)



Control cables



Plastic molded parts



Plastic-labels

Standard colour foil tapes



Standard colours: black, white, red, yellow
optional: silver

30mm width for 7 wheel version
50mm width for 12 wheel version
60mm width for 18 wheel version



PIK-AS
AUSTRIA

PIK-AS Austria GmbH – Mariasdorf 140a - AT-7433 Mariasdorf

Model B200P – pneumatic operation

Pneumatic operation via footswitch - both hands free for easy use.

Legible and permanent marking.

Suitable for large volume markings.

Model B200P7 = 7 wheels

Model B200P12 = 12 wheels

Model B200P18 = 18 wheels



Standard character sizes

2,4 x 2,4 mm | 1,8 x 1,8 mm | 1,8 x 0,9 mm | 1,2 x 1,2 mm

Model B200M – manual operation



Manually operated.

Easy operation.

Robust design.

Suitable for smaller and medium production.


Model B200M7 = 7 wheels

Model B200M12 = 12 wheels

Model B200M18 = 18 wheels

Marking head types for B200 series

Head unit G (**character wheel system**) for marking of cables and tubes.
7, 12 or 18 wheels



Standard arrangement per character wheel:

40 facets engraved with capital alphabet letters (A-Z), numbers (0-9), signs (+,-,/,.) and a blank space

Type C= curved

Type F = flat

Head unit T (**type setting system**) for PVC-connectors, labels and flat materials



Example of an assembling line with an automatic cutting/ stripping machine in combination with cable marking, with our marking device, type B200P.

	B200P – 7* 12* 18*	B200M – 7* 12* 18*
Method of Marking	Hot stamping	
Mode of Operation	pneumatic	manually operated
Character Size	** 2,4 (H) x 2,4 (W) mm	
Character Facets/ wheels	40 facets engraved with capital alphabet letters (A-Z), numbers (0-9), signs (+,-,/,.) and a blank space.	
Type of Facets	** C (curved) for cables or F (flat) for tubes	
Heater Wattage	200 W	100 W
Dimensions	290 (W) x 330 (D) x 390 (H) mm	260 (W) x 290 (D) x 360 (H) mm
Net weight	19 KGS	11 KGS

* Number of character wheels

** The above specifications may change to meet requirement from customer.

Actual color of the products may look slightly different to the photographs in this leaflet.

The information contained in this leaflet, specifications and external appearance are subject to change without notice



PRECAUTIONS TO ENSURE SAFETY



Before using the machine, be sure to read the Instruction manuals and understand the proper usage of the machine.

www.pikas.at