

SERIES B200

HOTMARKER

COMPACT HOT STAMPING MACHINE FOR DIRECT MARKING ON CABLES, TUBES, PVC COMPONENTS



>> Can be combined with existing cutting or crimping equipment<<



PIK-AS Austria GmbH – Elektrotechnische Fabrikate
Mariasdorf 140a | AT-7433 Mariasdorf
Tel.: +43 3353 7613 | Fax: +43 3353 7612
office@pikas.at | www.pikas.at

EN 03/2024

Model B200P – pneumatic operation

Pneumatic operation via footswitch
- both hands free for easy use.

Legible and permanent marking.

Suitable for large volume markings.

Model B200P7 = 7 wheels

Model B200P12 = 12 wheels

Model B200P18 = 18 wheels



Marking head types for B200 series

Head unit G (**character wheel system**) for marking of cables and tubes.


7, 12 or 18 wheels

Standard arrangement per character wheel:

40 facets engraved with capital alphabet letters (A-Z), numbers (0-9), signs (+,-/,.) and a blank space

Type C= curved

Type F = flat



Head unit T (**type setting system**) for PVC-connectors, labels and flat materials



| | B200P – 7* 12* 18* |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Method of Marking | Hot stamping |
| Mode of Operation | pneumatic |
| Character Size | ** 2,4 (H) x 2,4 (W) mm |
| Character Facets/ wheels | 40 facets engraved with capital alphabet letters (A-Z), numbers (0-9), signs (+,-/,.) and a blank space. |
| Type of Facets | ** C (curved) for cables or F (flat) for tubes |
| Heater Wattage | 200 W |
| Dimensions | 290 (W) x 330 (D) x 390 (H) mm |
| Net weight | 19 KGS |
| * Number of character wheels ** The above specifications may change to meet requirement from customer. | |

Actual color of the products may look slightly different to the photographs in this leaflet.

The information contained in this leaflet, specifications and external appearance are subject to change without notice.



PRECAUTIONS TO ENSURE SAFETY



Before using the machine, be sure to read the Instruction manuals and understand the proper usage of the machine.

www.pikas.at

Marked samples with B200 series

Devices of series B200 allow easy and permanent marking of cables, tubes, PVC components.



PVC-wires



Flat PVC-/plastic components



Cable ties (Nylon)



Control cables

Standard character sizes

2,4 x 2,4 mm | 1,8 x 1,8 mm | 1,8 x 0,9 mm | 1,2 x 1,2 mm

Standard colour foil tapes



Standard colours: black, white, red, yellow
optional: silver

30mm width for 7 wheel version

50mm width for 12 wheel version

60mm width for 18 wheel version



Example of an assembling line with an automatic cutting/ stripping machine in combination with cable marking, with our marking device, type B200P.



M3E – marking machine



Individual Cable- and Tube Marking

- permanent
- undetachable
- distinctive
- ideal for job shop production
- switchbox production
- small volume production



With the Hotmarker Model M3E, you can mark up to 7 characters (letters or numbers) easily on cable, tubes, heat shrinking tubes, PVC-Components, labels, cable ties, teflon or nylon components.

SP8600 – Automatic marking machine



Direct marking on PVC-, heat shrinking tubes and labels

- permanent
- undetachable
- distinctive
- individual marking for tubes
- Barcode & symbols
- new fonts
- ideal for middle and high quantity production
- PC-integration or stand-alone version



The model SP8600 prints your desired and individual text on different kind of flexible tubes, PVC-tubes, heatshrinking tubes or labels. SP8600 prints up to 3 lines on your material. After printing, the machines cuts your tubes completely or partially.